2012 NATIONAL ELECTRONIC HEALTH RECORDS SURVEY LIST OF VARIABLES POTENTIALLY AVAILABLE THROUGH THE RESEARCH DATA CENTER

Note: Some requested variables may not be available due to disclosure risk or editing issues.

| Question number from 2012 National | Variable Name | Variable Label | CarN | Longth | |
|--|---------------|---|-------------|-------------|--|
| EHR survey | PHYID | Physician ID | C or N N | Length 5 | Values for variable range and labels 80000-90302='Valid range for live data |
| | | | IN | 5 | collection' |
| Q3 | NOPATSEN | Number of weeks not seeing patients. | Ν | 3 | 0-52='valid range' -9='Blank' |
| Q4 | NUMLOC | Number of office locations that patients are seen in a normal week | Ν | 3 | 00-20='valid range' -9='Blank' |
| Q5 | ESTVIS | During last normal week of practice, how many patient visits at all locations? | Ν | 3 | 000-999='valid range' -9='Blank' |
| Q7 | SETTING | Among settings checked in 6, the office setting with the most ambulatory care visits. | Ν | 3 | 1-8='Valid range' -9='Blank' |
| Q9 | ESTVIS1 | Estimated number of visits last week for the office that has the most ambulatory care visits. | N | 3 | 000-999='valid range' -9='Blank' |
| Q10 | SOLO1 | Type of practice for the office that has the most ambulatory care visits? | Ν | 3 | 1='Solo' 2='Nonsolo' -9='Blank' |
| Q10a | OTHPHY1 | Number of other physicians for the office that has the most ambulatory care visits? | N | 3 | 00-99='Valid range' -9='Blank' |
| Q11 | MULTI1 | Is this location a multi- or single-specialty group practice for the office that has the most ambulatory care visits? | Ν | 3 | 1='Multi' 2='Single' -9='Blank' |
| Q12 | MIDLEVP1 | How many mid-level providers are at this office that has the most ambulatory care visits? | Ν | 3 | 00-99='Valid range' -9='Blank' |
| Q13 | ACEPTNEW | Are you currently accepting new patients? | N | 3 | 1='Yes' 2='No -8='Unknown' -9='Blank' |
| Q13a1 | CAPITATE | Type of payment accepted - Capitated Private Insurance. | Ν | 3 | 1='Yes' 2='No' -8='Unknown' -7='Not applicable' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Longth | Values for variable range and labels |
|--|---------------|---|--------|--------|--|
| | NOCAP | Type of payment accepted - Noncapitated Private Insurance. | N | 3 | 1='Yes' 2='No' -8='Unknown' -7='Not applicable' -9='Blank' |
| | PRIVATE | Type of payment accepted - Private Insurance. | N | 3 | 1='Yes' 2='No' -8='Unknown' -7='Not applicable' -9='Blank' |
| Q13a3 | | Type of payment accepted – Medicare. | N | 3 | 1='Yes' 2='No' -8='Unknown' -7='Not applicable' -9='Blank' |
| | NMEDCARE | | | | |
| Q13a4 | NMEDCAID | Type of payment accepted - Medicaid. | N | 3 | 1='Yes' 2='No' -8='Unknown' -7='Not applicable' -9='Blank' |
| Q13a5 | NWORKCMP | Type of payment accepted - Worker's compensation. | N | 3 | 1='Yes' 2='No' -8='Unknown' -7='Not applicable' -9='Blank' |
| Q13a6 | | Type of payment accepted - Self-pay. | N | 3 | 1='Yes' 2='No' -8='Unknown' -7='Not applicable' -9='Blank' |
| Q13a7 | NSELFPAY | Type of payment accepted - No charge. | N | 3 | 1='Yes' 2='No' -8='Unknown' -7='Not applicable' -9='Blank' |
| | NNOCHRGE | | | | |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|---|--------|--------|--|
| Q14 | EBILLREC | Does your practice submit claims electronically? | N | 3 | 1='Yes, all electronic' 2='No' -8='Unknown' -9='Blank' |
| Q15 | EMEDREC | Does your practice use electronic medical records? (not including billing records) | Ν | 3 | 1='Yes, all electronic' 2='Yes, part paper and part electronic' 3='No' -8='Unknown' -9='Blank' |
| Q15a | EHRINSYR | Which year did you install your EMR/EHR system | N | 4 | 1970-2012='Valid range' -7= Not Applicable -9 ='Blank' |
| Q15b | EHRNAM12 | What is the name of your current EMR/EHR system? | Ν | 3 | 1='Allscripts' 2='Cerner' 3='eClinicalWorks' 4='Epic' 5='GE/Centricity' 6='Greenway Medical' 7='Mckesson/Practice Partner' 8= 'NextGen' 9='Sage/ Vitera' 10='Other' -8='Unknown' -7= 'Not Applicable' -9='Blank' |
| Q15b | EHRNAMOTH | What is the name of your current EMR/EHR system? | С | 30 | Other='Entry made' -7= Not Applicable |
| Q16 | EMRINS | Are there plans for installing a new EMR/EHR within the next 18 months? | Ν | 3 | 1='Yes' 2='No' 3='Maybe' -8='Unknown' -9='Blank' |
| Q17 | MUINC | Are there plans to apply for Medicare or Medicaid incentive payments for meaningful use of Health IT? | Ν | 3 | 1='Yes, we already applied' 2='Yes, we intend to apply' 3='Uncertain if we will apply' 4='No, we will not apply' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | | Values for variable range and labels |
|--|---------------|--|--------|---|---|
| Q17(1) | APPLYYR | When did you first apply? | N | 3 | 1='2011' 2='2012' -8='Unknown' -7= 'Not Applicable' -9='Blank' |
| Q17(2) | INTENDYR | When do you intend to first apply? | N | 3 | 1='2012' 2='2013 or later' -8='Unknown' -7= 'Not Applicable' -9='Blank' |
| | | WERE RECODED TO BE CONSISTENT WITH TH | | | |
| Q18a | EDEMOG | Does your practice have this computerized capability: recording patient demographic information? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18a | EDEMOGR | Does your practice have this computerized capability: recording patient demographic information? (recoded) | N | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18a1 | EPROLST | If computerized patient demographic information are included does it include patient problem lists? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18a1 | EPROLSTR | If computerized patient demographic information are included does it include patient problem lists? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|---|--------|--------|---|
| Q18b | EVITAL | Does the reporting location have a computerized system for recording and charting vital signs? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18b | EVITALR | Does the reporting location have a computerized system for recording and charting vital signs? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18c | ESMOKE | Does the reporting location have a computerized system for recording patient smoking status? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18c | ESMOKER | Does the reporting location have a computerized system for recording patient smoking status? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18d | EPNOTES | Does your practice have this computerized capability: recording clinical notes? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18d | EPNOTESR | Does your practice have this computerized capability: recording clinical notes? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|--|--------|--------|---|
| Q18d1 | EMEDALG | If clinical notes are included, do they include a list of patient's medications and allergies? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18d1 | EMEDALGR | If clinical notes are included, do they include a list of patient's medications and allergies? (recoded) | N | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18e | ECPOE | Does your practice have this computerized capability: ordering prescriptions? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18e | ECPOER | Does your practice have this computerized capability: ordering prescriptions? (recoded) | N | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18e1 | ESCRIP | If computerized orders for prescriptions are included, are prescriptions sent electronically to the pharmacy? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18e1 | ESCRIPR | If computerized orders for prescriptions are included, are prescriptions sent electronically to the pharmacy? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|--|--------|--------|---|
| Q18e2 | EWARN | If computerized orders for prescriptions are included, are there warnings of drug interactions or contraindications provided? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18e2 | EWARNR | If computerized orders for prescriptions are included, are there warnings of drug interactions or contraindications provided? (recoded) | N | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18f | EREMIND | Does your practice have this computerized capability: providing reminders for guideline- based interventions and/or screening tests? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18f | EREMINDR | Does your practice have this computerized capability: providing reminders for guideline- based interventions and/or screening tests? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18g | ESETS | Does your practice have this computerized capability: providing standard order sets related to a particular condition or procedure? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18g | ESETSR | Does your practice have this computerized capability: providing standard order sets related to a particular condition or procedure? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|--|--------|--------|---|
| Q18h | ECTOE | Does your practice have this computerized capability: ordering lab tests? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18h | ECTOER | Does your practice have this computerized capability: ordering lab tests? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18h1 | EORDER | If computerized orders for tests are included, are orders sent electronically? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18h1 | EORDERR | If computerized orders for tests are included, are orders sent electronically? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18i | ERESULT | Does your practice have this computerized capability: viewing lab results? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18i | ERESULTR | Does your practice have this computerized capability: viewing lab results? (recoded) | N | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|--|--------|--------|---|
| Q18i1 | EGRAPH | If the reporting location has a computerized system for viewing lab results, can the EHR/EMR automatically graph a specific patient's lab results over time? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18i1 | EGRAPHR | If the reporting location has a computerized system for viewing lab results, can the EHR/EMR automatically graph a specific patient's lab results over time? (recoded) | N | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18j | EIMGRES | Does your practice have this computerized capability: viewing imaging results? (Analysis across years should use the variable ending with "R") | N | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18j | EIMGRESR | Does your practice have this computerized capability: viewing imaging results? (recoded) | N | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18k | EQOC | Does your practice have this computerized capability: viewing data on quality of care measures? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18k | EQOCR | Does your practice have this computerized capability: viewing data on quality of care measures? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | 1 Values for variable range and labels |
|--|---------------|---|--------|--------|---|
| Q18I | ECQM | Does the reporting location have a computerized system for reporting clinical quality measures to federal or state agencies? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18I | ECQMR | Does the reporting location have a computerized system for reporting clinical quality measures to federal or state agencies? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18m | EGENLIST | Does the reporting location have a computerized system for generating lists of patients with particular health conditions? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18m | EGENLISTR | Does the reporting location have a computerized system for generating lists of patients with particular health conditions? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18n | EIMMREG | Does your practice have this computerized capability: electronic reporting to immunization registries? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18n | EIMMREGR | Does your practice have this computerized capability: electronic reporting to immunization registries? (recoded) | N | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|--|--------|--------|---|
| Q18n1 | EMUREP | If the reporting location has a computerized system for electronic reporting to immunization registries, are they reported in standards specified by Meaningful Use criteria? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18n1 | EMUREPR | If the reporting location has a computerized system for electronic reporting to immunization registries, are they reported in standards specified by Meaningful Use criteria? (recoded) | N | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18o | ESUM | Does your practice have this computerized capability: providing patients with clinical summaries for each visit? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' |
| Q180 | ESUMR | Does your practice have this computerized capability: providing patients with clinical summaries for each visit? (recoded) | N | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18p | EMSG | Does the reporting location have a computerized system for exchanging secure messages with patients? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |
| Q18p | EMSGR | Does the reporting location have a computerized system for exchanging secure messages with patients? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q18q | EHLTHINFO | Does the reporting location have a computerized system for providing patients with an electronic copy of their health information? (Analysis across years should use the variable ending with "R") | Ν | 3 | 1='Yes, used routinely' 2='Yes, but not used routinely' 3='Yes, but turned off or not used' 4= 'No' -8= 'Unknown' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|--|--------|--------|--|
| Q18q | EHLTHINFOR | Does the reporting location have a computerized system for providing patients with an electronic copy of their health information? (recoded) | Ν | 3 | 1='Yes' 2='No' 4='Yes, but turned off or not used' -8='Unknown' -9='Blank' |
| Q19 | ESHARE | Do you share any patient health information electronically with other providers? | N | 3 | 1='Yes' 2='No' -9='Blank' |
| Q19a1 | ESHAREEHR | Electronically share patient health information through EHR/EMR | Ν | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 19a' |
| Q19a2 | ESHAREWEB | Electronically share patient health information through web portal | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 19a' |
| Q19a3 | ESHAREOTH | Electronically share patient health information through other electronic method | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 19a' |
| Q19a3 | ESHAREOTHW | What is other electronic method? | С | 30 | Other='Entry made' -7= 'Not Applicable' |
| Q20a1 | LABRES1 | Share lab results electronically with hospitals with which you are affiliated | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20a' |
| Q20a2 | LABRES2 | Share lab results electronically with ambulatory providers inside your office/group | Ν | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20a' |
| Q20a3 | LABRES3 | Share lab results electronically with hospitals with which you are not affiliated | Ν | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20a' |
| Q20a4 | LABRES4 | Share lab results electronically with ambulatory providers outside your office/group | Ν | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20a' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|--|--------|--------|--|
| Q20b1 | IMAGREP1 | Share imaging reports electronically with hospitals with which you are affiliated | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20b' |
| Q20b2 | IMAGREP2 | Share imaging reports electronically with ambulatory providers inside your office/group | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20b' |
| Q20b3 | IMAGREP3 | Share imaging reports electronically with hospitals with which you are not affiliated | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20b' |
| Q20b4 | IMAGREP4 | Share imaging reports electronically with ambulatory providers outside your office/group | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20b' |
| Q20c1 | PTPROB1 | Share patient problem lists electronically with hospitals with which you are affiliated | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20c' |
| Q20c2 | PTPROB2 | Share patient problem lists electronically with ambulatory providers inside your office/group | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20c' |
| Q20c3 | PTPROB3 | Share patient problem lists electronically with hospitals with which you are not affiliated | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20c' |
| Q20c4 | PTPROB4 | Share patient problem lists electronically with ambulatory providers outside your office/group | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20c' |
| Q20d1 | MEDLIST1 | Share medication lists electronically with hospitals with which you are affiliated | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20d' |
| Q20d2 | MEDLIST2 | Share medication lists electronically with ambulatory providers inside your office/group | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20d' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|--|--------|--------|--|
| Q20d3 | MEDLIST3 | Share medication lists electronically with hospitals with which you are not affiliated | Ν | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20d' |
| Q20d4 | MEDLIST4 | Share medication lists electronically with ambulatory providers outside your office/group | Ν | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20d' |
| Q20e1 | ALGLIST1 | Share medication allergy lists electronically with hospitals with which you are affiliated | Ν | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20e' |
| Q20e2 | ALGLIST2 | Share medication allergy lists electronically with ambulatory providers inside your office/group | Ν | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20e' |
| Q20e3 | ALGLIST3 | Share medication allergy lists electronically with hospitals with which you are not affiliated | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20e' |
| Q20e4 | ALGLIST4 | Share medication allergy lists electronically with ambulatory providers outside your office/group | N | 3 | 0='Box is not marked' 1='Box is marked' -7='Not Applicable' -9='All boxes are blank for Item 20e' |
| Q20f | SUMREC | Do you share any of the above types of information using a summary care record? | Ν | 3 | 1='Yes' 2= 'No' -8= 'Unknown' -7='Not applicable' -9='Blank' |
| Q21a | CONSULTOUT | When you refer your patient to a provider outside of your office or group: do you receive a report back from the other provider with results of the consultation? | N | 3 | 1='Yes, routinely' 2='Yes, but not routinely' 3= 'No' -7= 'Not Applicable' |
| Q21a | CONSULTOUTR | When you refer your patient to a provider outside of your office or group: do you receive a report back from the other provider with results of the consultation? | Ν | 3 | 1='Yes, routinely or not routinely' 2= 'No' -7= 'Not Applicable' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | | Values for variable range and labels |
|--|---------------|--|--------|---|---|
| Q21b | CONSULTOUTE | When you refer your patient to a provider outside of your office or group: do you receive it electronically? | Ν | 3 | 1='Yes, routinely' 2='Yes, but not routinely' 3= 'No' -7= 'Not Applicable' -9='Blank' |
| Q22a | CONSULTIN | When you see a patient referred to you by a provider outside of your office or group: do you receive notification of both the patient's history and reason for consultation? | N | 3 | 1='Yes, routinely' 2='Yes, but not routinely' 3= 'No' -7= 'Not Applicable' -9='Blank' |
| Q22a | CONSULTINR | When you see a patient referred to you by a provider outside of your office or group: do you receive notification of both the patient's history and reason for consultation? | N | 3 | 1='Yes, routinely or not routinely' 2= 'No' -7= 'Not Applicable' -9='Blank' |
| Q22b | CONSULTINE | When you see a patient referred to you by a provider outside of your office or group: do you receive them electronically? | N | 3 | 1='Yes, routinely' 2='Yes, but not routinely' 3= 'No' -7= 'Not Applicable' |
| Q23a | INPTINFO | When your patient is discharged from an inpatient setting: do you receive all of the information you need to continue managing the patient? | Ν | 3 | 1='Yes, routinely' 2='Yes, but not routinely' 3= 'No' -7= 'Not Applicable' -9='Blank' |
| Q23a | INPTINFOR | When your patient is discharged from an inpatient setting: do you receive all of the information you need to continue managing the patient? | Ν | 3 | 1='Yes, routinely or not routinely' 2= 'No' -7= 'Not Applicable' -9='Blank' |
| Q23b | INPTINFOT | When your patient is discharged from an inpatient setting: is the information timely available when needed? | Ν | | 1='Yes, routinely' 2='Yes, but not routinely' 3= 'No' -7= 'Not Applicable' -9='Blank' |

| Question number from 2012 National | Variable Name | Variable Label | ConN | Longth | Values for variable range and labels |
|---|---------------|--|--------|--------|---|
| EHR survey | | W/han your patient is discharged from an | C or N | - | Values for variable range and labels |
| Q23c | INPTINFOE | When your patient is discharged from an inpatient setting: do you receive it electronically? | Ν | 3 | 1='Yes, routinely' 2='Yes, but not routinely' 3= 'No' -7= 'Not Applicable' -9='Blank' |
| Q24 | OWNS1 | Who owns the practice for the office that has the most ambulatory care visits? | Ν | 3 | 1='Physician/Physician group' 2='HMO' 3='Community Health Center' 4='Medical / Academic health center' 5='Other hospital' 6='Other health care corporation' 7='Other' -9='Blank' |
| Q25(1) | PRMCARE | Percent of patient care revenue from Medicare. | N | 3 | 0-100='Valid range' -9='Blank' |
| Q25(2) | PRMAID | Percent of patient care revenue from Medicaid. | N | 3 | 0-100='valid range' -9='Blank' |
| Q25(3) | PRPRVT | Percent of patient care revenue from private insurance. | N | 3 | 0-100='valid range' -9='Blank' |
| Q25(4) | PRALLOTH | Percent of patient care revenue from all other sources. | N | 3 | 0-100='valid range' -9='Blank' |
| Q26 | WCOMPEMR | Who completed the form? | N | 3 | 1='Sampled physician' 2='Office staff' 3='Other' -9='Blank' |
| Keyed | COMPTYPE | How survey was completed | N | 3 | 1='Mail' 2='Telephone' -7='Not applicable' -9='Blank' |
| Recoded: SAMPSPEC updated by PIISPEC | SPEC | 3 character specialty obtained from response to survey. | С | 3 | ' '='Blank' other='valid range' |

| Question | Variable Name | Variable Label | | | |
|--------------------------|---------------|---|--------|---|--|
| number from | | | | | |
| 2012 National | | | | | |
| EHR survey | - | | C or N | | Values for variable range and labels |
| Recoded from | SPECR | Numeric specialty obtained from response to | Ν | 3 | 01='General/Family practice' |
| SPEC | | survey for inscope providers. Doctors of | | | 03='Internal Medicine' |
| | | Osteopath dispersed throughout. | | | 04='Pediatrics' |
| | | | | | 05='General Surgery' |
| | | | | | 06='Obstetrics & Gynecology' |
| | | | | | 07='Orthopedic Surgery' |
| | | | | | 08='Cardiovascular Diseases' |
| | | | | | 09='Dermatology' |
| | | | | | 10='Urology' |
| | | | | | 11='Psychiatry' |
| | | | | | 12='Neurology' |
| | | | | | 13='Ophthalmology' |
| | | | | | 14='Otolaryngology' |
| | | | | | 15='Other specialties' |
| | FIPSCNY | New County FIPS code | С | 3 | |
| Created: ZIPPHY | | | - | | '000'-'999'='valid range' |
| | FIPSST | New State Fips code=physician's updated zip | С | 3 | - |
| Created: ZIPPHY | | code obtained from response to survey | | | '00'-'56'='valid range' |
| Recoded from | MDDO | Type of doctor (MD/DO) as sampled. | N | 3 | |
| Physician sample | | | | | 1='MD' |
| ile | | | | | 2='DO' |
| Recoded from | MSA | Metropolitan Status (2 categories) | Ν | 3 | |
| Physician sample | | | | | 1='MSA' |
| ile | | | | | 2='non-MSA' |
| Recoded from | METRSTAT | Metropolitan Status (3 categories) | N | 3 | 1='Metropolitan' |
| Physician sample | | | | | 2='Micropolitan' |
| ile | | | | | 3='Non-metropolitan (neither)' |
| | SPECCAT | Physician specialty type obtained from response | Ν | 3 | 1='Primary care specialty' |
| Recoded from | | to survey | | | 2='Surgical specialty' |
| SPECR & SPEC | | Deserted Onle and Multi-seriel. | NI | 3 | 3='Medical specialty' |
| | MULTIR1 | Recoded Solo and Multi variables | N | 3 | 1 ='Single-specialty practice' |
| | | | | | 2 ='Multi-specialty practice' |
| Recoded: SOLO1 MULTI1 | | | | | 3 ='Solo practice' -8='Unknown' |
| MULTI | DIODEMOD | | NI | 0 | |
| | DISPEMRR | Update of DISPEMR | Ν | 3 | 1='Complete (phone or mail)' |
| | | | | | 2='Eligible-Refused' |
| | | | | | 3='Ineligible or out-of-scope' |
| | | | | | 4='Unlocatable' |
| | | | | | 5='Unknown Eligibility – Refusal' |
| Recode of | | | | | 6='Eligible – Partially Complete' |
| DISPEMR | | | | | 7='Unknown Eligibility – Partially Complete' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | 1 Values for variable range and labels |
|---|---------------|---|--------|--------|--|
| Recode of FINSTAT | FINSTATR | Update of FINSTAT | N | 3 | 1='Eligible - Complete via Mail' 2='Eligible - Complete via Phone' 3= 'Eligible - Partial via Phone' 4= 'Eligible - Partial via Mail' 5= 'Eligible - Verbal Refusal – MD' 7= 'Eligible - Verbal Refusal – Other' 8= 'Ineligible - No longer in practice' 9= 'Ineligible - No longer in practice' 9= 'Ineligible - No ambulatory patients' 10= 'Ineligible - Out-of-scope setting' 11= 'Ineligible - Deceased' 12= 'Unknown Eligibility - Unlocatable' 13='Unlocatable - CutOffDate' 14='Unknown Eligibility - Verbal Refusal – MD' 16='Unknown Eligibility - Verbal Refusal – Other' 17='Unknown Eligibility - Partial via Phone' 18='Unknown Eligibility - Partial via Mail' 19='Unknown Eligibility - Contact Information Confirmed (soft refusal)' Note: Eligible means Q2=1 and Q8=1-8. |
| Derived from SOLO1 & OTHPHY1 | SIZE | Size of practice | N | 3 | 1='Solo based practice' 2-100='Number of physicians in practice' -9='Blank' |
| Recoded from SIZE | PRACTSIZ | Size of practice grouped based on SIZE | N | 3 | 1='Solo practice' 2='Two physicians' 3='3 to 5 physicians' 4='6-10 physicians' 5='11+ physicians' -9='Blank' |
| Physician Sample File; updated by zip if physician moved | REGION | Region of the Physicians Interview office | N | 3 | 1='NE' 2='MW' 3='S' 4='W' |
| Physician Sample File | PHYSEX | Sex of Physician | N | 3 | 1='Female' 2='Male' -9='Blank' |
| Physician Sample File | РҮОВ | Physician year of birth | N | 4 | -9= Blank 1900-1982='valid range' -9='Blank' |

| Question number from 2012 National EHR survey | Variable Name | Variable Label | C or N | Length | Values for variable range and labels |
|--|---------------|---|--------|--------|--|
| Recode from PYOB | MDAGE | Physician age; grouped | Ν | 3 | 1='Under 35 years' 2='35-44 years' 3='45-54 years' 4='55-64 years' 5='65 years and over' -9='Blank' |
| URBAN-RURAL FILE | URBANRU | 2007 NCHS urban-rural classification based on provider zip code | Ν | 3 | 1='Large central metro' 2='Large fringe metro' 3='Medium metro' 4='Small metro' 5='Micropolitan (nonmetro)' 6='Noncore (nonmetro)' -9='Missing data' |
| SUDAAN VARIAI | BLES | | | | |
| Sample=PHYID | PROVIDE | Provider code. | N | 4 | 80000-90302='Valid range' |
| Derived | YEAR | Survey year | Ν | 4 | 2012='Year: 2012' |
| Derived | SUBFILE | Survey identifier | N | 3 | 1='NAMCS' |
| Derived | STATE | State where the physician was sampled | N | 3 | Numeric physician's state FIPS Code 1-2, 4-6, 8-13, 15-42, 44-51, 53-56='Valid range' |
| Derived | POPDOC | Estimated number of NAMCS eligible physicians in State | N | 8 | 1-999999='Valid range' |
| Derived | MAILWGT | Rounded adjusted ratio adjusted doctor weight (responding doctors) | N | 6 | 0='Out of scope or refused doctors' 1-999999='Responding doctors' |