

NBER WORKING PAPER SERIES

TRANSPARENCY IN STRUCTURAL RESEARCH

Isaiah Andrews  
Matthew Gentzkow  
Jesse M. Shapiro

Working Paper 26631  
<http://www.nber.org/papers/w26631>

NATIONAL BUREAU OF ECONOMIC RESEARCH  
1050 Massachusetts Avenue  
Cambridge, MA 02138  
January 2020

In preparation as a discussion paper for the Journal of Business and Economic Statistics. We acknowledge funding from the National Science Foundation, the Brown University Population Studies and Training Center, and the Stanford Institute for Economic Policy Research (SIEPR). E-mail: [isandrews@fas.harvard.edu](mailto:isandrews@fas.harvard.edu), [gentzkow@stanford.edu](mailto:gentzkow@stanford.edu), [jesse\\_shapiro\\_1@brown.edu](mailto:jesse_shapiro_1@brown.edu). We thank our many dedicated research assistants for their contributions to this project. The views expressed herein are those of the authors and do not necessarily reflect the views of the National Bureau of Economic Research.

At least one co-author has disclosed a financial relationship of potential relevance for this research. Further information is available online at <http://www.nber.org/papers/w26631.ack>

NBER working papers are circulated for discussion and comment purposes. They have not been peer-reviewed or been subject to the review by the NBER Board of Directors that accompanies official NBER publications.

© 2020 by Isaiah Andrews, Matthew Gentzkow, and Jesse M. Shapiro. All rights reserved. Short sections of text, not to exceed two paragraphs, may be quoted without explicit permission provided that full credit, including © notice, is given to the source.

Transparency in Structural Research  
Isaiah Andrews, Matthew Gentzkow, and Jesse M. Shapiro  
NBER Working Paper No. 26631  
January 2020  
JEL No. C10

**ABSTRACT**

We propose a formal definition of transparency in empirical research and apply it to structural estimation in economics. We discuss how some existing practices can be understood as attempts to improve transparency, and we suggest ways to improve current practice, emphasizing approaches that impose a minimal computational burden on the researcher. We illustrate with examples.

Isaiah Andrews  
Department of Economics  
Harvard University  
Littauer M18  
Cambridge, MA 02138  
and NBER  
iandrews@fas.harvard.edu

Jesse M. Shapiro  
Economics Department  
Box B  
Brown University  
Providence, RI 02912  
and NBER  
jesse\_shapiro\_1@brown.edu

Matthew Gentzkow  
Department of Economics  
Stanford University  
579 Serra Mall  
Stanford, CA 94305  
and NBER  
gentzkow@stanford.edu

# 1 Introduction

Structural empirical research can sometimes look like a black box. Once upon a time, a structural paper might begin with an elaborate model setup containing dozens of assumptions, present a similarly complex recipe for estimation, and then jump immediately to reporting model estimates and counterfactuals that answer the research question of interest. A reader who accepted the full list of assumptions could walk away having learned a great deal. A reader who questioned even one of the assumptions might learn very little, as they would find it hard or impossible to predict how the conclusions might change under alternative assumptions.

Modern research articles taking a structural approach often look very different from this caricature. Many devote significant attention to descriptive analysis of important facts and relationships in the data. Many provide detailed discussions of how these descriptive statistics relate to the structural estimates, connecting specific data features to key parameter estimates or conclusions. Such analysis has the potential to make structural estimates more transparent, allowing skeptical readers to learn more from the results even when they do not fully accept all the model assumptions.

In this paper, we consider the value of transparency in structural research. We propose a formal definition of the transparency of a statistical report. We argue that our definition provides a rationale for many current practices, and suggests ways these practices can be improved. We discuss these potential improvements, emphasizing those that impose a minimal computational burden on the researcher.

Our definition of transparency follows the one proposed in Andrews et al. (2017).<sup>1</sup> We situate it in a model of scientific communication based on Andrews and Shapiro (2018). In the model, a researcher observes data informative about a quantity of interest  $c$ . The researcher reports an estimate  $\hat{c}$  of  $c$  along with auxiliary statistics  $\hat{t}$  to a set of readers indexed by  $r$ . Under the researcher's maintained assumptions  $a_0$ ,  $\hat{c}$  is valid, for example in the sense that it is asymptotically normal and unbiased. Not all readers accept  $a_0$ , however, and different readers may entertain different alternative assumptions  $a \neq a_0$ . After receiving the report  $(\hat{c}, \hat{t})$ , each reader updates their prior beliefs, selects an estimate  $d_r$  of  $c$ , and realizes a quadratic loss  $(d_r - c)^2$ . For a given reader, we define the *transparency* of the report to be the reduction in expected loss from observing  $(\hat{c}, \hat{t})$ , relative to the reduction from observing the full data. In other words, research is transparent to the extent that it makes it easy for readers to reach the same inference about  $c$  that they would reach by analyzing

---

<sup>1</sup>See also the discussions of transparency in Angrist and Pischke (2010) and Heckman (2010).

the data in full under their preferred assumptions. We show that transparency is distinct from other econometric desiderata such as efficiency and robustness.

After describing our model and definition of transparency in section 2, we discuss several practices that we believe can improve the transparency of structural estimation. We illustrate throughout with stylized examples drawn from our model and real-world examples drawn from the literature.

Section 3 discusses descriptive analysis, which we interpret as including in  $\hat{t}$  statistics  $\hat{s}$  that are either directly informative about the parameter of interest  $c$ , or informative about the plausibility of the assumptions  $a_0$ . We argue that descriptive statistics of both kinds can aid transparency.

Section 4 discusses the analysis of identification. Although transparency is a distinct property from model identification, we argue that clear discussion of identification can improve transparency by sharpening readers' beliefs about the appropriateness of the researcher's assumptions.

Section 5 discusses ways to improve the transparency of the estimator. We argue that transparency is improved when  $\hat{c}$  depends to a large degree on some interpretable statistics  $\hat{s}$  and when the form of the relationship between the two is made clear to the reader. We suggest this as a rationale for targeting descriptive statistics directly in estimation. Building on work by Andrews et al. (2017, 2019), we discuss how local approximations can be used to clarify the relationship between  $\hat{c}$  and  $\hat{s}$ .

Section 6 discusses sensitivity analysis, which we take to encompass a range of approaches for demonstrating the sensitivity of conclusions to alternative assumptions. When readers are concerned about a small number of known alternative assumptions  $a$ , the researcher can improve transparency by reporting estimates  $\hat{c}_a$  that are valid under these alternatives, as in a traditional sensitivity analysis. When readers are concerned about a richer or unknown set of alternatives  $a$ , then it is no longer practical to report an estimate corresponding to each of these. Building on work by Conley et al. (2012) and Andrews et al. (2017), we discuss how including in  $\hat{t}$  statistics based on local approximations can help readers assess a larger set of assumptions. For cases where a qualitative conclusion (e.g., the direction of a causal effect or welfare change) is important, we also discuss the value of reporting features of alternative realizations of the data that would lead to a conclusion different from the researcher's.

## 2 Transparency in a Model of Scientific Communication

### 2.1 Setup

A researcher observes data  $D \in \mathcal{D}$ . The researcher makes a set of assumptions  $a_0$  under which  $D \sim F(a_0, \eta)$  for  $\eta \in H$  an unknown parameter. The researcher computes a point estimate  $\hat{c} = \hat{c}(D)$  of a scalar quantity of interest  $c(a_0, \eta)$ , along with a vector of auxiliary statistics  $\hat{t} = \hat{t}(D)$ . The latter may include descriptive evidence, sensitivity analysis, and various auxiliary statistics as discussed in sections 3-6 below.<sup>2</sup>

The researcher reports  $(\hat{c}, \hat{t})$  to readers  $r \in \mathcal{R}$  who do not have access to the underlying data. In most applications researchers and readers focus on statistics of much lower dimension than the raw data (though researchers might also make the data available), so we will primarily consider  $\dim(\hat{t}) \ll \dim(D)$  and ask what readers learn from  $(\hat{c}, \hat{t})$ . Readers are concerned that the researcher's model may be misspecified, and they consider assumptions  $a \in \mathcal{A}$  that may be different from  $a_0$ . Under assumption  $a \in \mathcal{A}$ ,  $D \sim F(a, \eta)$  where  $\eta$  is again unknown, and the quantity of interest is  $c(a, \eta)$ .<sup>3</sup> Each reader  $r$  has a prior  $\pi_r$  on the assumptions  $a$  and model parameter  $\eta$ , and aims to estimate  $c(a, \eta)$ , choosing a decision  $d_r \in \mathbb{R}$  and incurring quadratic loss  $L(d_r, c(a, \eta)) = (d_r - c(a, \eta))^2$ .

Following Andrews and Shapiro (2018), we define reader  $r$ 's *communication risk* from  $(\hat{c}, \hat{t})$  as their ex-ante expected loss from taking their optimal action based on  $(\hat{c}, \hat{t})$ ,

$$E_r \left[ \min_{d_r} E_r \left[ (d_r - c)^2 \mid \hat{c}, \hat{t} \right] \right] = E_r [\text{Var}_r(c \mid \hat{c}, \hat{t})].$$

Here  $E_r[\cdot]$  and  $\text{Var}_r(\cdot)$  denote the expectation and variance under  $\pi_r$ , respectively, and we write  $c$  as shorthand for  $c(a, \eta)$ . Reader  $r$ 's risk from observing the full data is  $E_r[\text{Var}_r(c \mid D)] \leq E_r[\text{Var}_r(c \mid \hat{c}, \hat{t})]$ , with equality only if  $r$ 's posterior expectation based on  $(\hat{c}, \hat{t})$  is almost surely the same as that based on the full data.

We define the *transparency* of  $(\hat{c}, \hat{t})$  for  $r$  as the reduction in risk from observing  $(\hat{c}, \hat{t})$ , relative

---

<sup>2</sup>In settings where  $c$  is partially identified under the assumptions  $a_0$ , one could instead take  $\hat{c}$  to report an estimate for the identified set based on partial identification analysis. Some of our analysis (particularly in section 5 below) would need to be adapted to this case. See Tamer (2010) and Molinari (2019) for overviews of the partial identification literature.

<sup>3</sup>We assume a common parameter  $\eta$  for simplicity, but one could more generally have different model parameters  $\eta_a$  for each  $a \in \mathcal{A}$ . Alternatively, one can view  $a$  as just another unknown parameter, though  $(a, \eta)$  will generally not be jointly identified.

to the reduction from observing the full data

$$T_r(\hat{c}(\cdot), \hat{t}(\cdot)) = \frac{\text{Var}_r(c) - E_r[\text{Var}_r(c|\hat{c}, \hat{t})]}{\text{Var}_r(c) - E_r[\text{Var}_r(c|D)]},$$

and define transparency to be one when the denominator is zero. Thus, the transparency of  $(\hat{c}, \hat{t})$  for  $r$  lies between zero and one, is equal to one when observing  $(\hat{c}, \hat{t})$  yields the same risk for  $r$  as observing the full data, and is equal to zero when observing  $(\hat{c}, \hat{t})$  yields no reduction in risk, while observing  $D$  would yield some reduction.

It is sometimes straightforward to construct fully transparent reports, i.e., reports with transparency equal to one. If  $\hat{t}$  is sufficient for  $(a, \eta)$ , for instance, then  $(\hat{c}, \hat{t})$  is fully transparent for all readers. When it is infeasible to report a sufficient statistic, we can still construct a fully transparent report for reader  $r$  by reporting that reader's posterior mean  $\hat{t} = E_r[c|D]$ . Note, however, that in this case  $(\hat{c}, \hat{t})$  will not in general be transparent for readers  $r'$  with  $\pi_{r'} \neq \pi_r$ . Heterogeneity in  $\pi_r$  across readers is thus central to the study of transparency.

**Example.** An example based on Conley et al. (2012) will help fix ideas. Suppose that the data  $D = \{(Y_i, X_i, Z_i)\}_{i=1}^n$  consist of i.i.d. observations of an outcome  $Y_i$ , a binary treatment  $X_i$ , and a candidate instrument  $Z_i$ , which for simplicity we take to be scalar and mean zero. Readers believe that the data follow

$$Y_i = X_i c + U_i.$$

Suppose that  $\mathcal{A} = \mathbb{R}$ , and that under assumption  $a$  we have  $E[U_i Z_i] / E[Z_i^2] = a$ . The researcher's assumption is  $a_0 = 0$ , i.e., that the instruments  $Z_i$  are valid in the sense of being orthogonal to the residual, while they are invalid under  $a \neq a_0$ . The parameter  $\eta$  describes the rest of the joint distribution of  $(X_i, U_i, Z_i)$ . Consider two possible reports: (i) the IV estimate  $\hat{c} = \sum Z_i Y_i / \sum Z_i X_i$ ; (ii) the estimate  $\hat{c}$  along with the first-stage coefficient  $\hat{t} = \sum Z_i X_i / \sum Z_i^2$  from a regression of  $X_i$  on  $Z_i$ . Suppose reader  $r$  has a degenerate prior on  $a$  but that  $\pi_r$  implies a continuous joint distribution for  $(c, t)$  where  $t$  is the population first-stage coefficient. For  $n$  large,  $\hat{c}$  converges in probability to  $c + a/t$ , but since reader  $r$  has a non-degenerate prior on  $(c, t)$  this does not in general suffice for them to infer  $c$ . By contrast, since  $\hat{t} \rightarrow_p t$  reader  $r$  can infer  $c$  from  $(\hat{c}, \hat{t})$  as  $n \rightarrow \infty$ . Thus, under mild regularity conditions the transparency of  $(\hat{c}, \hat{t})$  for  $r$  converges to one as  $n \rightarrow \infty$ , while the transparency of  $\hat{c}$  alone is bounded away from one.

## 2.2 Comparison to Other Econometric Properties

Transparency is distinct from a number of other properties discussed in the econometrics literature. For example, estimators are often evaluated based on their efficiency in mean squared error, where the mean squared error of  $\hat{c}$  under  $(a, \eta)$  is  $E_{F(a, \eta)} \left[ (c - \hat{c})^2 \right]$ . The estimator  $\hat{c}_1$  dominates the estimator  $\hat{c}_2$  in mean squared error under the assumptions  $a$  if it achieves a lower mean squared error for all  $\eta$ , with strict inequality for some  $\eta$ . Efficiency and transparency can imply substantially different rankings of estimators. To illustrate, we consider an example based on Andrews and Shapiro (2018). Suppose that  $D$  is scalar, and that under all assumptions  $a \in \mathcal{A}$  we have  $D \sim N(c(a, \eta), 1)$ . Suppose further that  $c(a, \eta) \geq 0$  for all  $(a, \eta)$ . The estimator  $\hat{c}_1 = \max\{D, 0\}$  dominates  $\hat{c}_2 = D$  in mean squared error, and indeed obtains a strictly smaller mean squared error for all  $(a, \eta)$ . At the same time, since  $\hat{c}_1$  is a non-invertible transformation of  $\hat{c}_2$ ,  $\hat{c}_2$  is weakly more transparent than  $\hat{c}_1$  for any reader  $r$ , and strictly more transparent if  $\text{Var}_r(c) > 0$ , in which case distinct realizations of  $\hat{c}_2$  induce distinct posterior means.

While we allow the possibility that the readers and the researcher contemplate different assumptions, transparency is distinct from traditional measures of robustness. To illustrate, suppose that  $D$  is again scalar, that  $\mathcal{A} = \mathbb{R}$ , and that under assumption  $a$ ,  $D \sim N(c(a, \eta) + a, 1)$ . In this case reporting  $\hat{c} = D$  is fully transparent for all  $r$ , but this estimator is highly non-robust according to conventional measures such as worst-case mean squared error. Indeed, in this setting all estimators have infinite worst-case mean squared error, so no estimator is robust in that sense.

Finally, transparency is distinct from identification. For instance, we could have that  $c$  is identified from the distribution of  $(\hat{c}, \hat{t})$ , treating both  $a$  and  $\eta$  as unknown, but that transparency of  $(\hat{c}, \hat{t})$  is low since the distribution of  $(\hat{c}, \hat{t})$  is noisy.<sup>4</sup> Conversely, in cases where  $c$  is not point-identified based on  $(\hat{c}, \hat{t})$ ,  $\hat{t}$  may still be highly correlated with  $c$  under reader  $r$ 's prior (e.g., because  $c$  is identified and precisely estimable conditional on  $a$ , and  $\pi_r$  is highly informative about  $a$ ). In this case, reporting  $(\hat{c}, \hat{t})$  will be nearly transparent for  $r$  despite the non-identification of  $c$ .

---

<sup>4</sup>For  $F_{(\hat{c}, \hat{t})}(a, \eta)$  the distribution of  $(\hat{c}, \hat{t})$  under  $(a, \eta)$ , we say that  $c$  is identified from the distribution of  $(\hat{c}, \hat{t})$  if

$$\{c(a, \eta) : a \in \mathcal{A}, \eta \in H \text{ such that } F_{(\hat{c}, \hat{t})}(a, \eta) = F_{(\hat{c}, \hat{t})}\}$$

is a singleton for all  $F_{(\hat{c}, \hat{t})} \in \{F_{(\hat{c}, \hat{t})}(a, \eta) : a \in \mathcal{A}, \eta \in H\}$ .

## 2.3 Routes to Improved Transparency

The remaining sections of the paper discuss practical approaches to improving transparency in structural estimation. We emphasize the alternative assumptions  $a$  that we think are likely to be of most interest to readers of structural research. Likewise, we limit attention to reporting strategies that we view as reasonable, ruling out for instance that researchers encode the full data in the decimal expansion of  $\hat{t}$ . Finally, because working with nonlinear structural models is often computationally expensive, we emphasize approaches that impose a minimal additional computational burden on the researcher.

## 3 Descriptive Analysis

The first element that can contribute to transparent structural research is descriptive analysis. In our framework, a descriptive analysis takes the auxiliary statistics  $\hat{t}$  to include some statistics  $\hat{s}$  that are either directly informative about  $c$  or informative about the plausibility of the assumptions  $a_0$ . Examples include summary statistics, data visualization, or correlations illustrating key causal relationships. Such evidence is sometimes described as “model-free,” in the sense that it has a meaningful interpretation that does not rely explicitly on the assumptions of the structural model.<sup>5</sup> Pakes (2014) formalizes the role of descriptive analysis in providing a set of facts that the structural model should rationalize.<sup>6</sup>

Our framework suggests two ways that such descriptive analysis can improve transparency. First, descriptive statistics  $\hat{s}$  may provide evidence about  $c$  that is informative under a wider range of assumptions than  $a_0$ . This would be true, for example, if  $|Corr_r(c, \hat{s})|$  is large under many priors  $\pi_r$ , including those that do not put much mass on  $a_0$ .<sup>7</sup>

A leading case is where  $\hat{s}$  includes convincing experimental or quasi-experimental estimates of treatment effects closely related to  $c$ . Autor et al. (2019), for example, present quasi-experimental evidence on the effects of disability insurance (DI) receipt in Norway on outcomes including total income, consumption expenditure, and transfer income, using random assignment of DI judges as a source of exogenous variation. They then estimate a structural model that allows them to back out the welfare effects of DI awards. A reader who is skeptical of the structural model’s

<sup>5</sup>See, for example, Polyakova (2016) and Rossi and Chintagunta (2016).

<sup>6</sup>See also the discussion in Lewbel (2019, section 5.1).

<sup>7</sup>In particular, note that  $E_r[Var_r(c|\hat{s})] \leq Var_r(c) \left(1 - Corr_r(c, \hat{s})^2\right)$ , so a large correlation directly bounds the average posterior variance.



assumptions might still learn a lot about the welfare effects based on the descriptive evidence alone. For example, such a reader might update positively on the welfare effects to the extent that DI substantially increases consumption or update negatively to the extent that it crowds out other transfer income.

Similarly, Attanasio et al. (2012) present treatment-control differences from a randomized evaluation of the PROGRESA conditional cash transfer that show how the program affected school enrollment of children in various age groups. They then estimate a dynamic model of the school enrollment decision that allows them to simulate alternative policies such as one that reallocates grant funding from younger children to older children. The observed treatment-control differences do not speak directly to the effect of this reallocation because it was not part of the original experiment. A reader who does not accept all of the assumptions of the structural model might nevertheless learn a fair amount about the likely effects of the reallocation from comparing the treatment effects on older and younger children.

Second, descriptive statistics  $\hat{s}$  may provide evidence that helps readers evaluate the researcher's assumptions  $a_0$ . Allcott et al. (2019) estimate a structural model of grocery demand that allows them to decompose sources of nutritional inequality in the US. To estimate price sensitivity, the authors instrument for the price of a product in a given store with the price of the same product in other stores in the same chain. The exclusion restriction is that the variation in prices due to the composition of chains in a particular market is orthogonal to unobserved preference differences. In their descriptive analysis, the authors support the plausibility of this assumption by showing that this variation in prices is orthogonal to observed demographics that predict choices.

Agarwal et al. (2018) use an estimated structural model of bank lending to predict the extent to which credit expansions are passed on to borrowers. A key assumption of the model is that borrowers' unobserved characteristics are smooth around a set of credit score thresholds where credit limits change discontinuously. The authors' descriptive analysis confirms the "first stage" effect of the discontinuities on credit limits and then shows that observed borrower characteristics are smooth around the discontinuities, increasing the plausibility of the assumption that unobserved characteristics are smooth as well.

An important strength of descriptive analysis is that it permits a wider range of robustness and sensitivity analysis than is typically possible for computationally demanding structural estimates. Considering many alternative sets of controls, isolating variation along discontinuities, or adding highly saturated fixed effects are often not possible in complex models. Performing such

checks is typically easier for the statistics reported in a descriptive analysis, and reporting them can strengthen confidence in model assumptions.

Descriptive statistics  $\hat{s}$  can improve a reader’s ability to evaluate the researcher’s model even if they do not directly test its formal assumptions. For example, if an important assumption in the model is that a jurisdiction-level policy variable is assigned independently of unobservables, providing a map illustrating the spatial distribution of the policy can be very helpful to a reader.<sup>8</sup> Because many readers will have prior beliefs on the spatial distribution of unobservables, such a map can complement more formal balancing tests that evaluate the correlation of the policy variable with observable characteristics of the jurisdiction. In a similar way, many types of summary statistics and data visualization can help to sharpen readers’ priors on the researcher’s assumptions and thus aid readers’ interpretation of the estimator  $\hat{c}$ , in the sense that  $Corr_r(c, \hat{c}|\hat{s})$  is much larger than  $Corr_r(c, \hat{c})$  for some realizations of  $\hat{s}$ .

## 4 Identification

A second element that can contribute to transparent research is explicit discussion of identification. Such discussion is now common in much empirical research including structural research. Angrist and Pischke (2010) call “a conceptual framework that highlights specific sources of variation” one of the “hallmark[s] of contemporary applied microeconomics” (p. 12). Kleven (2018) shows that the share of NBER working papers in public economics discussing identification has risen from roughly zero percent in 1980 to almost 50 percent today. Of the 123 structural papers published in the *American Economic Review*, *Econometrica*, the *Quarterly Journal of Economics*, and the *Journal of Political Economy* between January 2018 and November 2019, 80 percent included explicit discussion of identification.<sup>9</sup>

Formally, a quantity  $c$  is *identified* in the researcher’s model if  $c(a_0, \eta) \neq c(a_0, \eta')$  implies  $F(a_0, \eta) \neq F(a_0, \eta')$  (Matzkin 2013; Lewbel 2019). In other words, distinct values of  $c$  correspond to distinct distributions of the data under the researcher’s maintained assumptions. Following section 2.2, we could say that  $c$  is *identified by* a specific vector of statistics  $\hat{s}$  if  $c(a_0, \eta) \neq c(a_0, \eta')$  implies distinct distributions of  $\hat{s}$  under  $F(a_0, \eta)$  and  $F(a_0, \eta')$ .

---

<sup>8</sup>See, for example, Fetter and Lockwood (2018, Figure 3), Bernard et al. (2019, Figure 8), and Hackmann (2019, Figure 3).

<sup>9</sup>Here we define “structural” broadly to include any paper that explicitly estimates the parameters of an economic model.

There is a disconnect between this formal econometric definition and the discussions of identification that appear in some empirical papers. Keane (2010, p. 6) writes,

What is meant by ‘identified’ [by some authors] is subtly different from the traditional use of the term in econometric theory.... Here, the phrase ‘how a parameter is identified’ refers... to a more intuitive notion that can be roughly phrased as follows: What are the key features of the data, or the key sources of (assumed) exogenous variation in the data, or the key *a priori* theoretical or statistical assumptions imposed in the estimation, that drive the quantitative values of the parameter estimates, and strongly influence the substantive conclusions drawn from the estimation exercise?

There are two important differences between the formal definition of identification and the “intuitive notion” Keane (2010) describes. First, point identification is formally a binary property. A quantity of interest  $c$  either is or is not identified by a statistic  $\hat{s}$ . It is not clear in what meaningful sense a particular feature or source of exogenous variation could be the “key” source of identification. Second, identification is a property of a model, not a property of an estimator. Whether or not  $c$  is identified by  $\hat{s}$  need not be related to whether or not  $\hat{s}$  “drive[s] the quantitative values of the parameter estimates.” Indeed, it is possible that  $c$  is identified by  $\hat{s}$  yet the estimator  $\hat{c}$  does not depend on  $\hat{s}$  at all.

Many discussions of identification in recent structural work fit Keane’s (2010) description. A number refer to particular quantities as “primarily,” “mainly,” or “largely” identified by particular data features.<sup>10</sup> Some focus on properties of estimators rather than models, using “identification” as essentially a synonym for “estimation.”<sup>11</sup> Many acknowledge that they are departing from formal statements by saying they discuss identification “intuitively” or “loosely,” or by noting explicitly that they discuss relationships of individual parameters to specific statistics even though all parameter estimates are determined jointly.<sup>12</sup>

---

<sup>10</sup>For example, Beraja et al. (2018) write, “Any empirical measure of refinancing elasticities to interest rate reductions will always be *primarily identified* from recession periods” (p. 156, emphasis added). Fu and Gregory (2019) write, “The dispersion... is thus *identified mainly* from the size of RDD parameter” (p. 407, emphasis added). Crawford et al. (2018) write, “The pro-competitive effects of vertical integration are *largely identified* from the degree to which RSN carriage is higher for integrated distributors” (p. 893, emphasis added).

<sup>11</sup>See, for example, the subsection titled “Identification Strategy” in Harasztosi and Lindner (2019, p. 2701), the section titled “Identification of Structural Parameters” in Head and Mayer (2019, p. 3095), and the section titled “Estimation and Identification” in Hackmann (2019, p. 1702).

<sup>12</sup>For example, Allcott et al. (2019) write, “*Loosely*, the first set of moments identify the  $\beta$  parameters...” (p. 1827, emphasis added). Autor et al. (2019) write, “While the mapping between model parameters and sample moments is less direct for the disutility parameters, there are data moments that *intuitively* provide identifying information.

We believe that clear and precise discussions of identification have an important role to play in making structural research transparent. In our framework, such discussions can be understood as a way to communicate and clarify the implications of the baseline assumptions  $a_0$  and the space of relevant alternatives  $a \neq a_0$ , allowing readers to form more precise priors  $\pi_r$ . Focusing on partial identification, Tamer (2010) writes: “[The partial identification approach] links conclusions drawn from various empirical models to sets of assumptions made in a transparent way. It allows researchers to examine the informational content of their assumptions and their impacts on the inferences made.” We believe clear discussions of point identification can likewise increase transparency.

Such clarifying discussions would of course be unnecessary if readers could fully evaluate all of a model’s assumptions directly. In reality, doing so is difficult. The abstract mathematical space in which assumptions are stated is often not one in which readers have well-formed intuitions. An assumption that sounds innocuous may in fact be highly restrictive, while another that sounds obviously unrealistic may in fact be a reasonable approximation. Identification discussions can illuminate the way the model’s assumptions map the distribution of observables to the key quantity  $c$ . This is often a valuable complement to direct inspection of the assumptions in mathematical terms.

To illustrate what we mean, suppose a discrete-choice demand model assumes that the utility of a consumer  $i$  for a good  $j$  contains an additive error  $\varepsilon_{ij}$  which is distributed i.i.d. type 1 extreme value. How would a reader unfamiliar with such models evaluate the distributional assumption on the error term? Mathematically, the assumption is that the CDF of  $\varepsilon_{ij}$  is  $F(\varepsilon) = \exp(-\exp(-\varepsilon))$ . Plotting the implied CDF or PDF would show that this is a single-peaked distribution not too different from a normal. It seems challenging to judge by introspection whether either the formula or the plot is a reasonable representation of the distribution of consumer utility, or under what circumstances it would be a better or worse approximation.

Studying the implications of the extreme value assumption for identification turns out to be instructive. As is now well understood (e.g., Anderson et al. 1992), imposing this form on the errors can mean that the share of consumers choosing each good  $j$  is alone sufficient to identify: (i) the relative own-price elasticities and markups of any two goods  $j$  and  $k$ ; (ii) how consumers

---

While all parameters are estimated simultaneously, it can be instructive to focus on one parameter at a time” (p. 2644, emphasis added). Fu and Gregory (2019) write, “Although all of the structural parameters are identified jointly, we provide a sketch of identification here by describing which auxiliary models are most informative about certain structural parameters” (p. 407).

reallocate if any good is removed from the choice set; (iii) relative consumer welfare under different choice sets. An unfamiliar reader who learned these implications might update in the direction of thinking the distributional assumption is stronger than they thought and worth additional scrutiny. The reader might also be able to form new intuitions about what alternative assumptions  $a$  are most relevant to consider — for example, alternative error distributions that decouple substitution patterns from market shares (Berry et al. 1995).

We suggest that two principles should guide discussions of identification. First, these discussions should be precise, with the verb “identify” used only in its formal econometric sense. It is best to avoid quantitative modifiers like “primarily identifies” or “mainly identifies” with uncertain meaning. Like any other theoretical statement, statements about identification that are not immediately obvious should either be accompanied by formal proof or introduced explicitly as conjectures.

The statement that a quantity  $c$  “is identified by” a particular vector of statistics  $\hat{s}$  should mean that the distribution of  $\hat{s}$  is sufficient to infer the value of  $c$  under the model. If this statement applies only given knowledge of some other parameters, then this should be made explicit. Looking over cases in the recent literature where authors claim something is “identified by” specific features of the data, one sees three common structures of argument.<sup>13</sup> The first structure is to prove identification as a formal proposition.<sup>14</sup> The second structure is an informal “triangular” argument. In the case where the object of interest is a parameter vector  $\eta$ , this might show that  $\eta_1$  is identified by a statistic  $\hat{s}_1$  alone,  $\eta_2$  is identified by  $\hat{s}_2$  once the value of  $\eta_1$  is known,  $\eta_3$  is identified by  $\hat{s}_3$  once the values of  $\eta_1$  and  $\eta_2$  are known, and so on.<sup>15</sup> When formalized, this can of course be a valid method of proof that  $\eta$  is identified by  $\hat{s}$ . The final structure is an elementwise argument where saying that  $\eta_j$  is identified by  $\hat{s}_k$  means this is true given that all other elements of  $\eta$  are known. Many “heuristic” or “informal” discussions of identification seem to take this form, though sometimes without making explicit the requirement that the other elements of  $\eta$  are known.<sup>16</sup> Enumerating such relationships for all  $\eta_j$  does not establish identification of  $\eta$  from  $\hat{s}$ . In many models, the statement that  $\eta_j$  is identified by  $\hat{s}_k$  in this sense will be true for many different statistics  $\hat{s}_k$ . Such discussions may nevertheless provide some useful intuition about the model.

---

<sup>13</sup>See also Gentzkow et al. (2014, sections V.A and VI.A).

<sup>14</sup>See, for example, Agarwal and Somaini (2018); Bonhomme et al. (2019); Chiappori et al. (2019).

<sup>15</sup>See, for example, Eckstein et al. (2019, pp. 235-236); Fréchette et al. (2019, p. 2976); Fu and Gregory (2019, pp. 407-409).

<sup>16</sup>Two papers that make this requirement explicit are Autor et al. (2019, pp. 2644-5) and David and Venkateswaran (2019, pp. 2548-9).

Some authors support discussions of identification with simulations showing how the distributions of some statistics  $\hat{s}$  change when each parameter is varied in turn, holding all other parameters constant.<sup>17</sup> A statistic is then sometimes said to “identify a parameter” if the distribution of the statistic responds strongly as the parameter varies. Note that this amounts to a version of the third argument structure above, establishing elementwise relationships that do not imply formal identification of the model as a whole. We see this kind of simulation as valuable provided it is clear that it speaks to identification of the parameter of interest only if the values of the other parameters are known.

The second principle we would recommend is that discussion of model identification be clearly distinguished from discussion of estimation. How  $\hat{s}$  and  $c$  are related under the model is distinct from how  $\hat{s}$  is related to the specific estimator  $\hat{c}$ , and the statement “ $c$  is identified by  $\hat{s}_j$ ” need not imply that  $\hat{s}_j$  is an important determinant of  $\hat{c}$ . How to clarify the data features that actually do drive  $\hat{c}$  is the topic we take up in section 5. As we note there, transparency is often improved when the discussion of identification elucidates the same relationships that turn out to be important in estimation.

In some cases, discussion of the construction of an estimator can itself constitute a heuristic proof of identification. For example, it may be that estimation consists of a series of plug-in or linear estimators for parameters whose identification is well understood.<sup>18</sup> Such cases may explain how “identification strategy” has come to be used in some of the literature as a synonym for “estimation strategy.”<sup>19</sup>

## 5 Estimation

Descriptive analysis and discussion of identification can together help readers understand how the researcher’s model maps features of the data to conclusions about  $c$ , and assess the validity of the assumptions underlying this mapping. Research is most transparent when readers can use this and other information to interpret the structural estimates  $\hat{c}$  taking account of the forms of misspecification they find most relevant.

In order to do so, the reader needs to understand how the specific estimator  $\hat{c}$  depends on the data  $D$ . There are typically many distinct vectors of intuitive statistics  $\hat{s}$  that each identify  $c$  under

---

<sup>17</sup>See, for example, David and Venkateswaran (2019, section III.C) and Autor et al. (2019, Figure 4).

<sup>18</sup>See, for example, the section titled “Identification of Structural Parameters” in Head and Mayer (2019, p. 3095).

<sup>19</sup>The “Identification Strategy” section in Harasztosi and Lindner (2019, p. 2701) is a recent example.

the researcher’s model, and in over-identified settings there are many different transformations of a given vector  $\hat{s}$  that estimate  $c$  (Chen and Santos, 2019). Identification discussions can at best clarify the sets of possible statistics and transformations.

Knowing the form of the estimator  $\hat{c}$  is essential to transparency for two reasons. First, for reasons related to the discussion in section 4, the statistics  $\hat{s}$  on which the estimator depends—the statistics that “drive” the estimator in common parlance—influence which violations of assumptions matter most. Second, as we elaborate below, knowing *how* the estimator depends on these statistics can allow a reader to judge the likely bias induced by specific violations.

In this section, we consider how to make estimation more transparent. We focus on the value of both highlighting a specific vector of statistics  $\hat{s}$  that determine the estimator  $\hat{c}$  either exactly or approximately, and making the form of the relationship between the two clear to the reader. To fix ideas, without loss of generality we can write

$$\hat{c} = h(\hat{s}) + v_h,$$

where  $h(\cdot)$  is some function and  $v_h$  is a residual whose structure depends on  $h(\cdot)$ . The first approach we discuss is to choose an estimator  $\hat{c}$  such that  $v_h = 0$  and then characterize the form of the function  $h(\cdot)$ . The second approach we discuss is to choose an estimator  $\hat{c}$  such that  $v_h \neq 0$  and then demonstrate that  $v_h$  is small in appropriate sense so that  $\hat{c} \approx h(\hat{s})$ . In section 6, we discuss how a reader can assess specific forms of misspecification in the context of such estimators.

## 5.1 Target Descriptive Statistics in Estimation

The first approach is to target  $\hat{s}$  directly in estimation, so that  $\hat{c} = h(\hat{s})$ . This is of course only possible when  $c$  is identified by the distribution of  $\hat{s}$ . If  $c$  is identified by the population value  $s$  of  $\hat{s}$  and the implied relationship  $c = \Gamma(s, a)$  does not vary across the alternatives  $a$  of interest (i.e.,  $c = \Gamma(s)$  for all  $a \in \mathcal{A}$ ), the estimator  $\hat{c} = h(\hat{s}) = \Gamma(\hat{s})$  may have high transparency for all readers.<sup>20</sup> Related ideas appear in the literature as a justification for basing model estimation and testing on matching certain statistics of interest. (See, for example, Dridi et al. 2007, DellaVigna 2018, and Nakamura and Steinsson 2018.) Even when  $\Gamma(s, a)$  depends on  $a$ , an estimator of the form  $\hat{c} = h(\hat{s}) = \Gamma(\hat{s}, a_0)$  may still be reasonably transparent if the form of the relationship  $c = \Gamma(s, a_0)$

---

<sup>20</sup>Such an estimator will have transparency  $T_r = 1$  for any reader  $r$  for whom  $\hat{s}$  is sufficient for  $s$ , i.e. for whom  $\pi_r(s|D) = \pi_r(s|\hat{s})$ .

is made clear.

In practice, estimation based on targeting a finite-dimensional vector of descriptive statistics  $\hat{s}$  is often implemented via some form of minimum distance estimation that chooses parameters to match the observed  $\hat{s}$  to the value predicted under the model. Transparency provides a potential justification for choosing such estimators even when more efficient estimators, such as the MLE, are available.

The literature contains numerous examples of estimators that target descriptive statistics. Gourinchas and Parker (2002) estimate a lifecycle model of consumption and savings with a precautionary motive. After estimating properties of the income process in a first step, Gourinchas and Parker (2002) estimate structural preference parameters in a second step by minimizing the distance between the observed age profile of consumption and the profile predicted by their economic model. De Nardi et al. (2010) likewise estimate a model of consumption and savings by retirees by targeting observed median asset profiles for different groups of individuals. See also Goettler and Gordon (2011), DellaVigna et al. (2012), Nikolov and Whited (2014), and Autor et al. (2019).

These examples have in common that the estimator is (at least asymptotically) a function of descriptive statistics that a reader might find intuitively related to the parameters of interest. Part of the reason for this choice of estimator may be computational, for example due to the difficulty of computing the likelihood. However, in some cases the authors invoke non-computational considerations in justifying their choice of moments to match, some of which seem related to the considerations we discuss here.<sup>21</sup>

To formalize the value of targeting descriptive statistics, we focus on a simple special case of the framework introduced in section 2.

**Example.** The data consist of  $D = (Y, X, \Omega)$  where  $Y$  and  $X$  are  $k \times 1$  vectors, while  $\Omega$  is a full-rank  $k \times k$  matrix and

$$Y = Xc + B + \varepsilon, \tag{1}$$

for  $\varepsilon \sim N(0, \Omega)$ . To nest this example in the more general model introduced in section 2 we take  $\eta = (c, X, \Omega)$ , while  $B = B(a, \eta)$  is a function of  $a$ , potentially along with  $\eta$ . We assume that  $B$  is

---

<sup>21</sup>For example, De Nardi et al. (2010) write that “Because our underlying motivations are to explain why elderly individuals retain so many assets and to explain why individuals with high income save at a higher rate, we match median assets by cohort, age, and permanent income” (p. 47). Nikolov and Whited (2014) write that “The success of [the approach to estimation] relies on model identification, which requires that we choose moments that are sensitive to variations in the structural parameters...We now describe and rationalize the ... moments that we match” (p. 1899). Autor et al. (2019) include certain moments “...to discipline the model to recover our estimates of the causal effects of” a policy variable of interest (p. 2645).



unrestricted in the sense that for each  $\eta$ ,  $\{B(a, \eta) : a \in \mathcal{A}\} = \mathbb{R}^k$ . Thus, if one is unwilling to take a stand on assumptions the parameter of interest  $c$  is completely unidentified. We further assume that  $c$  and  $(B, X, \Omega)$  are independent under  $\pi_r$  for all  $r \in \mathcal{R}$ .

This example can be viewed as a regression model with normal errors, where  $Y$  is an outcome,  $X$  are the regressors, and  $B$  is an omitted variable. It can alternatively be viewed as a linear GMM model, where  $Y = g(0)$  are the GMM moments evaluated at  $c = 0$ ,  $X = -\frac{\partial}{\partial c}g(c)$  is minus one times the Jacobian of the GMM moments, and the GMM moments at the true value of  $c$  are  $g(c) = Y - Xc \sim N(B, \Omega)$ , where for  $B \neq 0$  the GMM model is misspecified. Such a model can be viewed as an asymptotic approximation to a nonlinear GMM model under local misspecification (Armstrong and Kolesár 2019).

To illustrate the value of targeting descriptive statistics in this example, consider the special case in which  $X$  and  $\Omega$  are commonly known and, for some known full-rank matrix  $S$ ,  $SB$  has a degenerate distribution under all  $\pi_r$ . This means that readers are confident in the relationship between  $\hat{s} = SY$  and  $c$ . An estimator  $\hat{c}_S$  formed by efficiently minimizing the distance between  $s(c) = SXc$  and  $\hat{s} = SY$  may be more transparent for some readers  $r$  than the estimator  $\hat{c}_0$  formed by maximum likelihood with the restriction that  $B = 0$ . In particular, note that the maximum likelihood estimator is  $\hat{c}_0 = (X'\Omega^{-1}X)^{-1}X'\Omega^{-1}Y$ , and that the variance of  $\hat{c}_0$  given  $c$  under  $\pi_r$  is

$$\text{Var}_r(\hat{c}_0|c) = (X'\Omega^{-1}X)^{-1} + (X'\Omega^{-1}X)^{-1}X'\Omega^{-1}\text{Var}_r(B)\Omega^{-1}X(X'\Omega^{-1}X)^{-1}$$

where the first term is the sampling variance of the MLE and the second term reflects model misspecification. By contrast,  $\text{Var}_r(\hat{c}_S|c)$  is simply the sampling variance of  $\hat{c}_S$ . Hence, when reader  $r$  is very uncertain about misspecification (in the sense that the variance of the part of  $B$  orthogonal to  $S$  is large),  $\hat{c}_S$  may be more transparent than  $\hat{c}_0$ .

Knowing that the estimator has the form  $\hat{c} = h(\hat{s})$  means that readers know the estimator depends on the data only through the statistics  $\hat{s}$ , but do not necessarily know the nature of the dependence. As noted above, there are often many different functions  $h(\cdot)$  that would constitute valid estimators under the model—in particular, whenever different subsets or transformations of  $\hat{s}$  are each sufficient to identify  $c$ . Some of these functions  $h(\cdot)$  may be convincing to a large set of readers, in the sense that  $\Gamma(s, a) \approx h(s)$  for many  $a \in \mathcal{A}$ , while others may only be convincing to readers who accept  $a_0$ . In such cases, communicating the geometry of  $h(\cdot)$  can help readers evaluate the estimator and so improve transparency.

In practice, research papers typically provide a formal definition of the estimator. Even a precise definition may not make the geometry of  $h(\cdot)$  obvious, however. In linear models, for instance, recent papers have characterized the regression discontinuity estimator (Gelman and Imbens 2019) and the two-way fixed effect estimator (e.g., Athey and Imbens 2018, Abraham and Sun 2019, de Chaisemartin and D’Haultfoeuille 2019, Goodman-Bacon 2019, Imai and Kim 2019) and in some cases argued that these estimators use the data in ways that may be unanticipated and undesired by many readers and researchers.

In nonlinear models, such characterizations may be even more difficult to come by and therefore even less obvious *ex ante*. One solution could be to fully describe  $h(\cdot)$  by brute-force enumeration, but this is often infeasible. For example, Gourinchas and Parker (2002) summarize the age profile of consumption with the mean adjusted log consumption at each of the 40 ages from 26 through 55. As even a single estimation step may be computationally demanding, computing and visualizing Gourinchas and Parker’s (2002) estimator on a 40-dimensional domain seems daunting.

Andrews et al. (2017) propose to focus on the local *sensitivity* of the estimator to the statistics targeted in estimation. Sensitivity corresponds to the derivatives of  $h(\cdot)$  when  $h(\cdot)$  is differentiable. It is possible to approximate this derivative numerically, for example by evaluating the estimator at perturbations of the form  $\hat{s} + \varepsilon e_j$  for  $\varepsilon$  a small number and  $e_j$  the  $j^{\text{th}}$  standard basis vector, and then computing the numerical derivative  $(h(\hat{s} + \varepsilon e_j) - h(\hat{s})) / \varepsilon$ . Repeated estimation may be computationally demanding, but Andrews et al. (2017) show that in many applications (including Gourinchas and Parker’s 2002) repeated estimation is unnecessary if the reader is willing to focus on the asymptotic value of the derivative.

Andrews et al. (2017) plot the local sensitivity of the estimators of key structural parameters in Gourinchas and Parker (2002) with respect to the statistics  $\hat{s}$  targeted in estimation. They argue that the local properties of  $h(\cdot)$  revealed by this exercise make qualitative sense in light of the economic analysis and discussion in Gourinchas and Parker (2002), and that knowledge of sensitivity could be useful to a reader who wishes to learn from  $\hat{c}$  but is concerned about misspecification of the assumptions  $a_0$ .

**Example.** (continued) Continue to suppose that the distribution of  $SB$  is degenerate under  $\pi_r$ , but now suppose that  $X$  and  $\Omega$  may not be commonly known. The estimator  $\hat{c}_S$  can be written as

$$\hat{c}_S = \left( X' S' (S \Omega S')^{-1} S X \right)^{-1} X' S' (S \Omega S')^{-1} \hat{s} = \Lambda \hat{s}$$

for  $\hat{s} = SY$  and  $\Lambda$  the sensitivity of  $\hat{c}_S$  to  $\hat{s}$  as defined by Andrews et al. (2017), which depends on  $X$  and  $\Omega$ . Reporting  $(\hat{c}_S, \sigma_S, \Lambda)$  — that is, taking  $\hat{c} = \hat{c}_S$  and  $\hat{t} = (\sigma_S, \Lambda)$  for  $\sigma_S$  the standard error of  $\hat{c}_S$  — is weakly more transparent for all readers  $r$  than reporting  $(\hat{c}_S, \sigma_S)$  alone. To see that it may be strictly more transparent, suppose that reader  $r$  has a normal prior on  $c$ ,  $c \sim N(0, \omega_r^2)$ . The average posterior variance for reader  $r$  based on the full data is then bounded below by  $E_r \left[ (\omega_r^{-2} + \sigma_0^{-2})^{-1} \right]$  for  $\sigma_0$  the standard error of  $\hat{c}_0$ , while the average posterior variance based on observing  $(\hat{c}_S, \Lambda)$  is  $E_r \left[ (\omega_r^{-2} + \sigma_S^{-2})^{-1} \right]$ . This bounds the transparency of reporting  $(\hat{c}_S, \sigma_S, \Lambda)$  from below. By contrast, the transparency of  $(\hat{c}_S, \sigma_S)$  alone may be small when  $SB$  is large. If  $\pi_r$  implies that  $\Lambda$  follows a non-degenerate normal distribution while  $\sigma_S$  is fixed, for instance, then the transparency of  $(\hat{c}_S, \sigma_S)$  goes to zero as  $\|SB\| \rightarrow \infty$ .

## 5.2 Show How Much the Estimator Depends on the Descriptive Statistics

Basing estimation directly on  $\hat{s}$  may not be feasible or desirable. For example, it may be that even though  $\hat{s}$  are intuitive statistics closely related to  $c$ , their distribution is not sufficient for identification. It may be that  $\hat{s}$  identifies  $c$  but that identification using these statistics alone is weak. Or, it may be that the share of readers who accept the researcher's exact parametric assumptions is large enough that the efficiency gain for these readers from learning the MLE outweighs the loss of transparency for those who are more skeptical.

In these cases,  $\hat{c} = h(\hat{s}) + v_h$  for  $v_h$  not necessarily equal to zero. Then, making clear to readers the magnitude of  $v_h$  as well as the form of  $h(\cdot)$  can improve transparency. An example is where at least some readers believe that  $c = \Gamma(s, a)$ , in which case they may find  $\hat{c}$  especially informative when  $v_h \approx 0$  and  $h(\cdot) \approx \Gamma(\cdot, a)$ .

Characterizing the finite-sample relationship between  $\hat{c}$  and  $\hat{s}$ , either analytically or numerically, can be difficult. For example, numerical exploration by repeatedly drawing data  $D$  from one or more data-generating processes and then computing the implied values of  $\hat{c}$  and  $\hat{s}$  may be very computationally demanding.

Andrews et al. (2019) show that, under asymptotic conditions related to those considered in Andrews et al. (2017), many common estimators can be represented in the form

$$\hat{c} \approx \Lambda \hat{s} + v$$

for  $\Lambda$  an analogue of the local sensitivity defined in Andrews et al. (2017), and  $v$  asymptotically

uncorrelated with  $\hat{s}$ . Andrews et al. (2019) propose to measure the size of  $\nu$  by the *local informativeness* of  $\hat{s}$  for  $\hat{c}$ , which is given by

$$\Delta = \frac{AVar(\Lambda\hat{s})}{AVar(\hat{c})} = 1 - \frac{AVar(\nu)}{AVar(\hat{c})}$$

for  $AVar(V)$  the asymptotic variance of a random variable  $V$ . When local informativeness  $\Delta = 1$ , Andrews et al. (2019) show that (under the maintained conditions)  $\nu = 0$  and the setting collapses to that considered in section 5.1. When local informativeness  $\Delta = 0$ ,  $\hat{c}$  is asymptotically independent of  $\hat{s}$ , in which case a reader believing that  $c = \Gamma(s, a)$  may not find  $\hat{c}$  to be very informative about  $c$ .

Andrews et al. (2019) show that it is often possible to approximate local sensitivity and local informativeness without the need for additional simulation or estimation of the structural model. Moreover, although both local sensitivity and local informativeness can depend on the DGP, Andrews et al. (2017, 2019) show that the approximations they consider hold under local violations of the researcher's stated assumptions, meaning that these objects can be interpreted even if the reader does not have complete confidence in the researcher's model.

Andrews et al. (2019) apply their framework to Hendren's (2013) study of the market for long-term care insurance. They take  $\hat{c}$  to be the maximum likelihood estimator for the minimum pooled price ratio, a quantity that determines the range of preferences for which insurance markets cannot exist, and  $\hat{s}$  to be statistics summarizing the joint distribution of individuals' subjective beliefs about the likelihood of needing long-term care and their eventual need for such care. Andrews et al. (2019) estimate that these descriptive statistics have an informativeness of 0.7 for the estimator  $\hat{c}$ . Andrews et al. (2019) discuss reasons why learning informativeness could help Hendren's (2013) readers interpret the estimate  $\hat{c}$ .

**Example.** (continued) The asymptotic results of Andrews et al. (2019) hold exactly in this example. To illustrate the value of informativeness calculations, let us again suppose that the distribution of  $SB$  is degenerate under  $\pi_r$ , and that reader  $r$  has a normal prior on  $c$ ,  $c \sim N(0, \omega_r^2)$ . Let us further suppose that reader  $r$  thinks the degree of misspecification is bounded relative to sampling uncertainty, in the sense that  $Pr_r \left\{ \sqrt{B'\Omega^{-1}B} < \mu^2 \right\} = 1$  for some constant  $\mu$ . In this case, one can show that for  $\hat{c}_0$  again the maximum likelihood estimator, the increase in agent  $r$ 's average posterior variance from observing  $(\hat{c}_0, \sigma_0, \Lambda)$  for  $\sigma_0$  the standard error of  $\hat{c}_0$ , rather than the full

data, is bounded by

$$E_r \left[ \left( \frac{\omega_r^2}{\omega_r^2 + \sigma_0^2} \right)^2 \sigma_0^2 \mu^2(SB) (1 - \Delta) \right]$$

for  $\mu(SB) = \sqrt{\mu^2 - B'S'(S\Omega S')^{-1}SB}$ . Thus, when reader  $r$  is confident about the impact of misspecification on  $\hat{s}$  (in the sense that  $SB$  is known) and the informativeness  $\Delta$  of  $\hat{s}$  for  $\hat{c}_0$  is high, observing  $\hat{c}_0$  is nearly as good as observing the full data.

## 6 Sensitivity Analysis

A key premise of the model in section 2 is that different readers may accept different assumptions. Ideally the researcher would report the estimator that is optimal for each reader. When the set of assumptions entertained by the readers is small enough, this ideal may be achievable. This situation is one way to understand the sensitivity analysis that is common in research articles, showing how the key conclusions of the analysis change under a small set of assumptions different from those on which most of the analysis is based. When the set of assumptions entertained by the readers is rich, however, such an approach has limits, and it is desirable to help each reader assess how their own ideal estimator differs from the one reported by the researcher. In the particular case where a key conclusion of the researcher's analysis is qualitative, it may be useful, in addition, to report the properties of a data realization that would have led to a different qualitative conclusion.

### 6.1 Show the Conclusion under Specific Alternative Assumptions

Suppose that under each set of assumptions  $a \in \mathcal{A}$  there is a natural estimator  $\hat{c}_a$  (e.g. maximum likelihood or efficient GMM). If the researcher knows that all (or many) readers entertain only a limited set of assumptions, in the sense that each prior  $\pi_r$  puts mass on a single  $a \in \mathcal{A}$  and the number of distinct elements  $|\mathcal{A}|$  is small, then it is natural to report the estimate  $\hat{c}_a$  under each of element of  $\mathcal{A}$ .

For example, in their study of automobile demand Berry et al. (1995, Table IX) report how a key conclusion—the markup associated with each of a set of vehicle models—changes under six different alternative models, each of which corresponds to a modification of the cost or utility function specified in the baseline model. A reader who believes in one of these alternative specifications  $a_j$  is therefore able to learn about  $c$  from an estimator that is asymptotically valid under  $a_j$ . Tables reporting estimates of key parameters of interest under alternative assumptions are a

common feature of many applied research papers (see, e.g., Gourinchas and Parker 2002, Table V).<sup>22</sup>

It is useful to contrast such a sensitivity analysis with a bounds analysis that reports the set of estimates  $\{\hat{c}_a : a \in \mathcal{A}\}$  without specifying which estimate corresponds to which assumption (see e.g. Leamer 1981). In some cases the mapping from assumptions to elements of the set of estimates may be obvious, at least for extreme points (e.g. the upper and lower bounds). In other cases, however, a bounds analysis can be less transparent than a sensitivity analysis with respect to the same set of assumptions. Similar considerations can apply to a partial identification-robust analysis that ensures validity under all  $a \in \mathcal{A}$ .<sup>23</sup> At the same time, bounds and identification-robust analyses often remain feasible with large sets of assumptions (again, see e.g. Leamer 1981).

## 6.2 Show How the Conclusion Depends on Assumptions

If the set of assumptions  $\mathcal{A}$  entertained by the readers is sufficiently rich, then reporting an estimator  $\hat{c}_a$  associated with each assumption  $a \in \mathcal{A}$  is no longer feasible. A possible alternative is to provide information about the (possibly random) function  $u(a) = \hat{c}_a - \hat{c}_{a_0}$  that relates the estimator under the researcher's baseline assumption  $a_0$  to the natural one under the reader's preferred assumption  $a$ . If all readers knew  $u(\cdot)$ , then each reader could adjust the baseline estimate  $\hat{c}_{a_0}$  to reflect the reader's own preferred assumption  $a$ .

The omitted variables bias formula (OVBF) is perhaps the most famous tool for intuiting the properties of  $u(\cdot)$ . Given beliefs  $a$  about the covariance properties of an omitted regressor, the OVBF allows a reader to determine the bias in the estimator of a given coefficient resulting from the exclusion of that regressor, which might correspond to a researcher's baseline assumption  $a_0$ . The OVBF thus avoids the need to enumerate the bias implied by all possible beliefs about omitted regressors. Conley et al. (2012) generalize the OVBF to an instrumental variables setting, showing how to translate beliefs about violations of the exclusion restriction to beliefs about bias in the IV estimator. Like the OVBF, Conley et al.'s (2012) approach allows different readers to reach

---

<sup>22</sup>We focus on cases where  $c$  is point-identified under each  $a \in \mathcal{A}$ . When point identification may fail, the researcher can report an estimate of the identified set under each  $a \in \mathcal{A}$ . If the assumptions in  $\mathcal{A}$  can be ranked in increasing order of strength, this approach allows the reader to see how conclusions sharpen with each incremental strengthening of the assumptions. See the discussion in, for example, Manski (2003, 2007) and Tamer (2010).

<sup>23</sup>To give an extreme example, consider the model sketched in section 2.2 where  $\mathcal{A} = \mathbb{R}$  and  $D \sim N(c(a, \eta) + a, 1)$ . In this example reporting  $\hat{c} = D$  was fully transparent for all  $r$ , but the set of maximum likelihood estimators for  $c$  under  $a \in \mathcal{A}$  is equal to  $\mathbb{R}$  for all realizations of the data and so has transparency equal to zero for all  $r$ . If in addition  $\{c(a, \eta) : \eta \in H\} = \mathbb{R}$  for all  $a \in \mathcal{A}$ , then the identified set for  $c$  under  $\mathcal{A}$  is equal to  $\mathbb{R}$ , and any confidence set with coverage  $1 - \alpha$  for  $c$  under all  $a \in \mathcal{A}$  must have infinite length with probability at least  $1 - \alpha$ .

different conclusions regarding the appropriate adjustments to the reported estimator.

Andrews et al. (2017) study the problem of translating these ideas to nonlinear structural models, where the OVBF does not apply directly. In the wide class of models that can be estimated via minimum distance, the identifying assumptions can be represented as restrictions on the population value  $a$  of a moment condition under the true value of the structural parameters. For example, in nonlinear instrumental variables estimators such as that in Berry et al.'s (1995) study of automobile demand, the restriction is that a vector of observed instruments is orthogonal in population to a vector of unobserved structural errors. In indirect inference and other moment-matching type estimators, such as that in Gourinchas and Parker (2002), the restriction is that the population values of some statistics must match those predicted by the model.

In such settings, specific violations of the identifying assumptions can be represented as specific alternative restrictions—for example, that the covariance between the instruments and the structural error takes some specific nonzero value in population, or that the model systematically mispredicts the population value of some statistics by some specific amount. For linear models, the OVBF and its analogues tell the reader how to adjust the estimator to accommodate such perturbations to the researcher's identifying assumptions. For nonlinear models, we are not aware of a similar formula, and exhaustively checking the implications of each possible perturbation can be costly or impossible.

Andrews et al (2017) show that if the perturbations are local—that is, small in an appropriate asymptotic sense—then the implied asymptotic bias of the estimator is given by  $\Lambda(a - a_0)$ , where the coefficients  $\Lambda$  are the local sensitivity discussed above, now replacing the descriptive statistics with the vector of estimation moments evaluated at the true parameter value. It is thus practical to approximate and report the coefficients of the first-order expansion in many applications. In this sense, local sensitivity provides an analogue of the OVBF for general minimum distance estimators under small violations of identifying assumptions.

Andrews et al. (2017) report the local sensitivity of the estimated average vehicle markup to violations of the identifying assumptions in Berry et al. (1995). This analysis shows that the estimator is especially sensitive to violations of the assumption that unobserved shocks to the utility from or cost of producing a given vehicle model are orthogonal to the number of other models offered by the same or rival firms. Berry et al. (1995, p. 854) discuss the economic interpretation of these and other identifying assumptions. Andrews et al. (2017) show how a reader could use information on sensitivity to approximate the effect of different economically interesting violations

of the identifying assumptions. Importantly, this approach does not require the researcher to know the alternative assumptions  $a$  of interest in advance, as readers can use information about sensitivity to calculate the implications of different assumptions  $a$  for themselves. Andrews et al. (2017) report a similar analysis of the sensitivity of the estimated preference parameters in Gourinchas and Parker (2002) to violations of the identifying assumptions.

### 6.3 Show How to Reverse the Conclusion

Some of the questions answered by structural analysis are qualitative—e.g., will a given policy increase or decrease consumer surplus? Will a merger increase or decrease product quality? Empirical answers to such questions depend, by definition, on the realization of the data. To characterize this dependence, it can be helpful for researchers to discuss data realizations that would have led to the opposite conclusion. In some cases the properties of the data required for such a reversal are obvious. For example, if the effect of some policy on an outcome is estimated in a multivariate linear regression, then to reverse the researcher’s conclusion about whether the policy increases the outcome requires changing the sign of the residual covariance between the policy and the outcome.

For estimators in nonlinear models, by contrast, it is sometimes not obvious what realizations of the data would lead to conclusions different from the one reached by the researcher’s analysis, or even whether such realizations exist. We think that exhibiting such realizations can improve transparency, both by showing that the researcher’s answer to the qualitative question is indeed an empirical one, and (in the spirit of section 5.1 above) showing what sort of data realization is associated with a given conclusion.

Such an exercise might be called a *reverse sensitivity analysis*: rather than changing the inputs (e.g., data or assumptions) and investigating the effects on the outputs (conclusions), as in a traditional sensitivity analysis, here we seek to change the outputs and reverse engineer sufficient changes to the inputs.

Goettler and Gordon (2011) study whether Intel is more innovative in the production of microprocessors as a result of competition from AMD. To answer this question they estimate a dynamic model of the microprocessor industry and simulate behavior under alternative market structures. Goettler and Gordon (2011) conclude that the presence of AMD reduces the rate at which Intel innovates. They observe that their model is able to generate the opposite conclusion and exhibit parameter values for which the presence of the competitor increases the rate of innovation.

Likewise, Cuésta et al. (2019) study whether vertical integration between hospitals and insurers



raises total surplus in the health care system. They find that it does. The paper shows that changing the degree of consumer price sensitivity can reverse this qualitative conclusion.

**Example.** (continued) For simplicity, we limit attention to a binary conclusion (e.g., that  $\hat{c}$  is positive). Following Abadie (forthcoming), consider how much reader  $r$  updates their beliefs about  $c$  based on learning that  $\hat{c} > 0$ . As noted in Abadie (forthcoming), the law of total probability implies that for any set of values  $\mathcal{C}$  for  $c$ ,

$$|Pr_r\{\mathcal{C}\} - Pr_r\{\mathcal{C}|\hat{c} > 0\}| = \frac{Pr_r\{\hat{c} \leq 0\}}{Pr_r\{\hat{c} > 0\}} |Pr_r\{\mathcal{C}\} - Pr_r\{\mathcal{C}|\hat{c} \leq 0\}| \leq \frac{Pr_r\{\hat{c} \leq 0\}}{Pr_r\{\hat{c} > 0\}}.$$

Hence, if reader  $r$  thinks it very likely that the model will generate a positive estimate,  $Pr_r\{\hat{c} > 0\} \approx 1$ , they barely update their beliefs when told that  $\hat{c} > 0$ . By contrast, if a researcher can provide evidence that plausible realizations of the data would have lead to a different conclusion, learning that  $\hat{c} < 0$  becomes much more informative. To formalize this in our model, suppose the report is  $(1\{\hat{c} > 0\}, \hat{t}(X, \Omega))$ , where

$$Pr_r\{\hat{c} > 0|\hat{t}\} \ll Pr_r\{\hat{c} > 0\}.$$

For example,  $s(X, \Omega)$  might record a set of values  $\mathcal{Y}$  for  $Y$  that would have lead to negative estimates. Since we still have

$$\begin{aligned} & |Pr_r\{\mathcal{C}|\hat{t}\} - Pr_r\{\mathcal{C}|\hat{c} > 0, \hat{t}\}| \\ &= \frac{Pr_r\{\hat{c} \leq 0|\hat{t}\}}{Pr_r\{\hat{c} > 0|\hat{t}\}} |Pr_r\{\mathcal{C}|\hat{t}\} - Pr_r\{\mathcal{C}|\hat{c} \leq 0, \hat{t}\}|, \end{aligned}$$

the reader may now update substantially after learning that  $\hat{c} > 0$ .

## 7 Conclusion

Estimators of nonlinear models with multiple interacting agents or sectors can be complicated functions of the data and therefore difficult for readers to understand. Yet such models form an important part of the economist's toolkit for many real-world problems. Fortunately, economists working with such models have developed many practices that aid the transparency of their research. Here we survey those practices and suggest areas for further improvement. Many of these improvements can be adopted at little or no computational cost to the researcher.

## References

- Abadie, Alberto. Forthcoming. Statistical non-significance in empirical economics. *American Economic Review: Insights*.
- Abraham, Sarah and Liyang Sun. 2019. Estimating dynamic treatment effects in event studies with heterogeneous treatment effects. MIT Working Paper.
- Agarwal, Nikhil and Paulo Somaini. 2018. Demand analysis using strategic reports: An application to a school choice mechanism. *Econometrica* 86(2): 391-444.
- Agarwal, Sumit, Souphala Chomsisengphet, Neale Mahoney, and Johannes Stroebel. 2018. Do banks pass through credit expansions to consumers who want to borrow? *The Quarterly Journal of Economics* 133(1): 129-190.
- Allcott, Hunt, Rebecca Diamond, Jean-Pierre Dubé, Jessie Handbury, Ilya Rahkovsky, and Molly Schnell. 2019. Food deserts and the causes of nutritional inequality. *Quarterly Journal of Economics* 134(4): 1793-1844.
- Anderson, Simon P., Andre De Palma, and Jacques-Francois Thisse. 1992. *Discrete choice theory of product differentiation*. MIT Press.
- Andrews, Isaiah, Matthew Gentzkow, and Jesse M. Shapiro. 2017. Measuring the sensitivity of parameter estimates to estimation moments. *Quarterly Journal of Economics* 132(4): 1553–1592.
- Andrews, Isaiah, Matthew Gentzkow, and Jesse M. Shapiro. 2019. On the informativeness of descriptive statistics for structural estimates. NBER Working Paper No. 25217.
- Andrews, Isaiah and Jesse M. Shapiro. 2018. Statistical reports for remote agents. Working Paper.
- Angrist, Joshua D. and Jörn-Steffen Pischke. 2010. The credibility revolution in empirical economics: How better research design is taking the con out of econometrics. *Journal of Economic Perspectives* 24(2): 3-30.
- Armstrong, Timothy and Michal Kolesár. 2019. Sensitivity analysis using approximate moment condition models. Cowles Foundation Discussion Paper No. 2158R.
- Athey, Susan and Guido W. Imbens. 2018. Design-based analysis in difference-in-differences settings with staggered adoption. Working Paper arXiv:1808.05293v3.
- Attanasio, Orazio P., Costas Meghir, and Ana Santiago. 2012. Education choices in Mexico: Using a structural model and a randomized experiment to evaluate PROGRESA. *Review of Economic Studies* 79(1): 37–66.
- Autor, David, Andreas Kostøl, Magne Mogstad, and Bradley Setzler. 2019. Disability benefits, consumption insurance, and household labor supply. *American Economic Review* 109(7): 2613–2654.
- Beraja, Martin, Andreas Fuster, Erik Hurst, and Joseph Vavra. 2018. Regional heterogeneity and

- the refinancing channel of monetary policy. *Quarterly Journal of Economics* 134(1): 109-183.
- Bernard, Andrew B., Andreas Moxnes, and Yukiko U. Saito. 2019. Production networks, geography, and firm performance. *Journal of Political Economy* 127(2): 639-688.
- Berry, Steven, James Levinsohn, and Ariel Pakes. 1995. Automobile prices in market equilibrium. *Econometrica* 63(4): 841-890.
- Bonhomme, Stéphane, Thibaut Lamadon, and Elena Manresa. 2019. A distributional framework for matched employer-employee data. *Econometrica* 87(3): 699-739.
- Chen, Xiaohong and Andres Santos. 2018. Overidentification in regular models. *Econometrica* 86(5): 1771-1817.
- Chiappori, Pierre A., Bernard Salanié, François Salanié, and Amit Gandhi. 2019. From aggregate betting data to individual risk preferences. *Econometrica* 87(1): 1-36.
- Conley, Timothy G., Christian B. Hansen, and Peter E. Rossi. 2012. Plausibly exogenous. *Review of Economics and Statistics* 94(1): 260–272.
- Crawford, Gregory S., Robin S. Lee, Michael D. Whinston, and Ali Yurukoglu. 2018. The welfare effects of vertical integration in multichannel television markets. *Econometrica* 86(3): 891-954.
- Cuésta, Jose Ignacio, Carlos Noton, and Benjamín Vatter. 2019. Vertical integration between hospitals and insurers. Working Paper.
- David, Joel M. and Venky Venkateswaran. 2019. The sources of capital misallocation. *American Economic Review* 109(7): 2531-67.
- de Chaisemartin, Clément and Xavier D’Haultfoeuille. 2019. Two-way fixed effects estimators with heterogeneous treatment effects. NBER Working Paper No. 25904.
- De Nardi, Mariacristina, Eric French, and John B. Jones. 2010. Why do the elderly save? The role of medical expenses. *Journal of Political Economy* 118(1): 39-75.
- DellaVigna, Stefano, John A. List, and Ulrike Malmendier. 2012. Testing for altruism and social pressure in charitable giving. *Quarterly Journal of Economics* 127(1): 1-56.
- DellaVigna, Stefano. 2018. Structural behavioral economics. NBER Working Paper No. 24797.
- Dridi, Ramdan, Alain Guay, and Eric Renault. 2007. Indirect inference and calibration of dynamic stochastic general equilibrium models. *Journal of Econometrics* 136(2): 397-430.
- Eckstein, Zvi, Michael Keane, and Osnat Lifshitz. 2019. Career and family decisions: Cohorts born 1935–1975. *Econometrica* 87.1 (2019): 217-253.
- Fetter, Daniel K. and Lee M. Lockwood. 2018. Government old-age support and labor supply: Evidence from the Old Age Assistance Program. *American Economic Review* 108(8): 2174-2211.
- Fréchette, Guillaume R., Alessandro Lizzeri, and Tobias Salz. 2019. Frictions in a competitive,

- regulated market: Evidence from taxis. *American Economic Review* 109(8): 2954-2992.
- Fu, Chao and Jesse Gregory. 2019. Estimation of an equilibrium model with externalities: Post-disaster neighborhood rebuilding. *Econometrica* 87(2): 387-421.
- Gelman, Andrew and Guido W. Imbens. 2019. Why high-order polynomials should not be used in regression discontinuity designs. *Journal of Business & Economic Statistics* 37(3): 447-456.
- Gentzkow, Matthew, Jesse M. Shapiro, and Michael Sinkinson. 2014. Competition and ideological diversity: Historical evidence from US newspapers. *American Economic Review* 104(10): 3073-3114.
- Goettler, Ronald L. and Brett R. Gordon. 2011. Does AMD spur Intel to innovate more? *Journal of Political Economy* 119(6): 1141-1200.
- Goodman-Bacon, Andrew. 2019. Difference-in-differences with variation in treatment timing. NBER Working Paper No. 25018.
- Gourinchas, Pierre-Olivier and Jonathan A. Parker. 2002. Consumption over the life cycle. *Econometrica* 70(1): 47-89.
- Hackmann, Martin B. 2019. Incentivizing better quality of care: The role of Medicaid and competition in the nursing home industry. *American Economic Review* 109(5): 1684-1716.
- Harasztosi, Péter and Attila Lindner. 2019. Who pays for the minimum wage? *American Economic Review* 109(8): 2693-2727.
- Head, Keith and Thierry Mayer. 2019. Brands in motion: How frictions shape multinational production. *American Economic Review* 109(9): 3073-3124.
- Heckman, James J. 2010. Building bridges between structural and program evaluation approaches to evaluating policy. *Journal of Economic Literature* 48(2): 356-398.
- Hendren, Nathaniel. 2013. Private information and insurance rejections. *Econometrica* 81(5): 1713-1762.
- Imai, Kosuke and In Song Kim. 2019. On the use of two-way fixed effects regression models for causal inference with panel data. MIT Working Paper.
- Keane, Michael P. 2010. Structural vs. atheoretic approaches to econometrics. *Journal of Econometrics* 156(1): 3-20.
- Kleven, Henrik Jacobsen. 2018. Language trends in public economics. Slides accessed at [https://www.henrikkleven.com/uploads/3/7/3/1/37310663/languagetrends\\_slides\\_kleven.pdf](https://www.henrikkleven.com/uploads/3/7/3/1/37310663/languagetrends_slides_kleven.pdf) on December 7 2019.
- Leamer, Edward E. 1981. Sets of estimators of location. *Econometrica*. 49(1): 193-204.
- Lewbel, Arthur. 2019. The identification zoo: Meanings of identification in econometrics. *Journal of Economic Literature* 57(4): 835-903.
- Manski, Charles. 2003. *Partial Identification of Probability Distributions*. Springer.
- Manski, Charles. 2007. *Identification for Prediction and Decision*. Harvard Univ. Press

- Matzkin, Rosa L. 2013. Nonparametric identification in structural economic models. *Annual Review of Economics* 5(1): 457-486.
- Molinari, Francesca. 2019. Econometrics with partial identification. *Handbook of Econometrics* (forthcoming).
- Nakamura, Emi and Jón Steinsson. 2018. Identification in macroeconomics. *Journal of Economic Perspectives* 32(3): 59-86.
- Nikolov, Boris and Toni M. Whited. 2014. Agency conflicts and cash: Estimates from a dynamic model. *The Journal of Finance* 69(5): 1883-1921.
- Pakes, Ariel. 2014. The 2013 Lawrence R. Klein Lecture: Behavioral and descriptive forms of choice models. *International Economic Review* 55(3): 603-624.
- Polyakova, Maria. 2016. Regulation of insurance with adverse selection and switching costs: Evidence from Medicare Part D. *American Economic Journal: Applied Economics* 8(3): 165-95.
- Rossi, Federico and Pradeep K. Chintagunta. 2016. Price transparency and retail prices: Evidence from fuel price signs in the Italian highway system. *Journal of Marketing Research* 53(3): 407-423.
- Tamer, Elie. 2010. Partial identification in econometrics. *Annual Review of Economics* 2(1):167-95.